

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of	Bedard et al.)	
)	Group Art Unit: 1797
)	
Serial Number	10/553,736)	Examiner: McKane
)	
Filed	October 20, 2005)	
)	
Now U.S. Patent No.	7,582,257)	
)	
Date of Patent:	September 1, 2009)	
)	
For:	Ozone Sterilization Method)	

COMMUNICATION/CERTIFICATE OF CORRECTION

Attn:

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Sir:

This communication concerns Official U.S. Letters Patent 7,582,257 which issued on September 1, 2009. Upon review of the patent document, it is noted that a Supplemental Information Disclosure Statement was filed and date stamp received by the Patent Office on August 9, 2007 (see copy enclosed). However, the references identified on the 1449 Form are not listed on the face of the patent.

This printing error was of no fault by the Applicant and therefore no fees should be due in connection with this paper. It is requested that a new Official Letters Patent be prepared, or at least a certificate of correction issued, to address this error. If there are any questions concerning this matter, please contact the undersigned at the number provided below.

Respectfully submitted,



Everett G. Diederiks, Jr.
Registration No. 33,323

Date: November 20, 2009
DIEDERIKS & WHITELAW, PLC
13885 Hedgewood Dr., Suite 317
Woodbridge, VA 22193-7932
Tel: (703) 583-8300
Fax: (703) 583-8301

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,582,257

APPLICATION NO.: 10/553,736

ISSUE DATE : September 1, 2009

INVENTOR(S) : Bedard et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

(56) References Cited

US PATENT DOCUMENTS

4,517,159	05/1985	Karlson
4,764,351 *	08/1988	Hennebert et al.
5,069,880	12/1991	Karlson
5,266,275	11/1993	Faddis
5,334,335	08/1994	Norville
5,527,508 *	06/1996	Childers et al.
5,868,999	02/1999	Karlson
2002/0085950	07/2002	Robitaille et al.

FOREIGN PATENT DOCUMENTS

CA	2149133	05/1994
WO	95/25714	10/1995
WO	03/039607	05/2003

* cited by examiner

MAILING ADDRESS OF SENDER (Please do not use customer number below):

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.



IFW

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appl. No : 10/553,736
Applicant : Bedard et al.
Filed : September 21, 2006
Title : Improved Ozone Sterilization Method

TC/A.U. : 1744
Examiner : N/A

Docket No. : BED001
Customer No.: 27137

COMMISSIONER FOR PATENTS
PO Box 1450
Alexandria, VA 22313-1450


Sir:

The below identified communication(s) or document(s) is(are) submitted in the above application or proceeding:

- | | |
|---|---|
| <input type="checkbox"/> Amendment/Response | <input type="checkbox"/> Issue Fee Transmittal |
| <input checked="" type="checkbox"/> Supplemental Information Disclosure
Statement with <u>2</u> ref. | <input type="checkbox"/> Check in the Amount of <u>\$</u> |
| <input type="checkbox"/> Request For Filing Receipt | <input type="checkbox"/> Assignment |
| <input type="checkbox"/> | <input type="checkbox"/> Associate Power of Attorney |

- ☒ Please charge Deposit Account Number 04-1075 for any deficiency or surplus in connection with this communication. A duplicate copy of this sheet is provided for use by the Deposit Account Branch.

Respectfully submitted,


Everett G. Diederiks, Jr.
Attorney for Applicant
Registration Number: 33,323

Date August 9, 2007



For: Improved Ozone Sterilization Method

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

Pursuant to Rule 37 C.F.R. §1.51(b), §1.56, §1.97, and §1.98, this Information Disclosure Statement is submitted in the above-identified patent application. A listing of documents to be published on the face of any patent granted from this application is submitted herewith on Form PTO-1449 with a copy thereof. The listed documents were made of record in a search report (see copy enclosed) prepared in connection with the related International Application PCT/CA2004/001637.

This Information Disclosure Statement is submitted within three months of the filing date of and/or prior to the issuance of a first Office Action in the above-identified U.S. patent application.

Respectfully submitted,

Everett G. Diederiks, Jr.
Attorney for Applicant
Registration No. 33,323

Date: August 9, 2007



FORM PTO 1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT BY APPLICANT	ATTY DOCKET NO. BED001	SERIAL NO. 10/553,736
	APPLICANT Bedard et al.	
	FILING DATE September 21, 2006	GROUP 1744

U.S. Patent Documents

Examiner Initial	Document Number	Date	Patentee/Applicant	Class	Subclass	Filing Date if Appropriate
	4,517,159	05/85	KARLSON			
	5,868,999	02/99	KARLSON			

Foreign Patent Documents

Examiner Initial	Document Number	Publication Date	Country/Agency	Class	Subclass	Translation	
	WO 95/25714	10/95	WO			Yes	No
	WO 03/039607	05/03	WO				

Other Documents (Including Author, Title, Date, Pertinent Pages, Place of Publication, Etc.)

Examiner	Date Considered
----------	-----------------

Examiner: Initial if citation is considered, whether or not citation is in conformance with MPEP 609; Draw a line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.